



## Water Coolers

### ON-A-WALL DRINKING FOUNTAIN

#### F100

#### Suggested Specification

Model F100 is a non-refrigerated drinking fountain. Cabinet finish shall be brushed stainless steel. Shall be listed by Underwriters Laboratories to U.S. and Canadian standards and conform to European Union Directives.

#### Models

F100 is a non-refrigerated drinking fountain.

#### Standard Features

- > Waterways are Lead-Free in Materials & Construction
- > Dial-A-Drink® Bubbler
- > Stainless Steel Surfaces
- > Anti-Splash Ridge
- > Easy-To-Clean Integral Strainer Grid
- > Bottom Cover Plate
- > Limited 1-Year Warranty

#### Finishes

- > Standard Cabinet Finish: Stainless Steel
- > Optional Cabinet Finish at extra cost: Regency Bronze

#### Installation

- > Prior to roughing-in, consult local, state and federal codes for proper mounting height.
- > Shipped with complete instructions and wall mounting bracket.



Components in this fountain are lead free as defined by the Safe Drinking Water Act Amendments of 1986, and the Lead Contamination Control Act of 1988.

Limited 1-Year Warranty (Continental limits of the United States and Canada): One year from date of installation on parts only.

Export Warranty: One year on component parts.


Models covered by this specification comply with all known Plumbing Codes. Listed by Underwriters' Laboratories to U.S. and Canadian standards and conform to European Union Directives.



Physical Dimensions In Inches

Model	Style	Height	Width	Depth	Extended From Wall	Net Weight Approx.
F100	On-a-wall	8 7/8"	17"	13 5/32"	13 5/32"	12 lbs.

OASIS® STANDARD ON-A-WALL DRINKING FOUNTAIN MODEL F100



NOTES:

1. TRAPS AND STOP VALVE NOT FURNISHED.
2. RECOMMENDED ADULT HEIGHT INSTALLATION SHOWN. ADJUST VERTICAL DIMENSIONS AS REQ'D TO COMPLY WITH FEDERAL, STATE, AND LOCAL CODES.
3. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [ ] ARE IN MILLIMETERS.
4. THE FOLLOWING STATES REQUIRE A LICENSED PLUMBER TO INSTALL FOUNTAIN: AR, CA, MA, MI, OK, RI, SC, SD, TX, VT AND WI, CA, KS, MN, NM, AND OR ALLOW FOR A STATE REGISTERED INSTALLER OR CONTRACTOR AS WELL AS STATE AND LOCAL PLUMBING CODES MAY PROHIBIT THE USE OF SADDLE TAPPING VALVES FOR WATER LINE CONNECTION IN SOME APPLICATIONS. ALL CONNECTIONS MUST CONFORM TO APPLICABLE PLUMBING CODES.

AAA BestWater Co.  
454-2666

AAA BestWater Co.

454-2666



## Water Coolers

### ON-A-WALL DRINKING FOUNTAIN

#### F110PM

##### Suggested Specification

Model F110PM is a non-refrigerated stainless steel drinking fountain for direct connection to a cold water supply or for use with remote water chillers. Model F110PM shall have a mechanical push-button on the front of the cabinet. Water flows as long as the button is depressed. Cabinet finish shall be brushed stainless steel. Shall be listed by Underwriter's Laboratories to U.S. and Canadian standards and conform to European Union Directives.

##### Model

F110PM is a non-refrigerated stainless steel drinking fountain for direct connection to a cold water supply or for use with remote water chillers.

##### Standard Features

- > Waterways are Lead-Free in Materials & Construction
- > Single Push-Button On Cabinet Front Keeps Water Flowing While Button Is Depressed
- > Built-in Pressure Regulator Assures Smooth, Steady Water Flow
- > Chrome-Plated Brass Strainer
- > Stain Finish Stainless Steel
- > Tailpiece
- > Bottom Cover Plate
- > Limited 1-Year Warranty

##### Finishes

- > Standard Cabinet Finish: Stainless Steel
- > Optional Cabinet Finish at extra cost: Regency Bronze

##### Installation

- > Prior to roughing-in, consult local, state and federal codes for proper mounting height.
- > Shipped with complete instructions.



Components in this fountain are lead free as defined by the Safe Drinking Water Act Amendments of 1986, and the Lead Contamination Control Act of 1988.

Limited 1-Year Warranty (Continental limits of the United States and Canada): One year from the date of installation on parts only.

Export Warranty: One year on component parts.

Models covered by this specification comply with all known Plumbing Codes. Listed by Underwriters' Laboratories to U.S. and Canadian standards and conform to European Union Directives.



Certified to NSF/ANSI 61 / Section 9

Physical Dimensions In Inches

Model	Style	Height	Width	Depth	Extended From Wall	Net Weight Approx.
F110PM	On-a-wall	10 7/8"	13"	13 11/32"	13 11/32"	13 lbs.

OASIS® DELUXE ON-A-WALL DRINKING FOUNTAIN MODEL F110PM

